



集团微信订阅号

集团微信服务号



220920342091

检测报告 (Test Report)

No. B1D418005B1S4043290A

样品名称
(Sample Description)

辐照灭菌实验鼠维持饲料
Irradiated Lab Mice Maintenance Diet

委托单位
(Applicant)

江苏省协同医药生物工程有限责任公司
JiangsuXietongPharmaceuticalBio-
engineeringCo.,Ltd.,



Pony Testing International Group
www.ponytest.com



查询密码:Fd06C1R

声明 Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标,其受《中华人民共和国商标法》保护,任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法行为,本单位将依法追究其法律责任。
The words "PONY" and "谱尼" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议,请于报告完成之日起十五日内(初级农产品报告请于报告收到之日起五日内)向本单位书面提出复测申请,同时附上报告原件并预付复测费。
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report (for the report of primary agricultural products, submit a written application for retesting to the unit within 5 days after the receipt of the report), with the original report attached and the retesting fee prepaid.
4. 委托单位办理完毕以上手续后,本单位会尽快安排复测。如果复测结果与异议内容相符,本单位将退还委托单位的复测费。
After the applicant completes the above procedures, PONY shall arrange the retesting as soon as possible. If the retest result is consistent with the objection, PONY will refund the retest fees.
5. 不可重复性或不能进行复测的实验,不进行复测,委托单位放弃异议权利。
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
6. 委托单位对送检样品的代表性和资料的真实性负责,否则本单位不承担任何相关责任。
The applicant is responsible for the representativeness of the commissioned samples and the authenticity of the documents, otherwise PONY does not assume any relevant responsibilities.
7. 本报告仅对所测样品的检测结果负责,检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所载内容不能进行商业广告宣传使用,使用所产生的直接或间接损失及一切法律后果,本单位不承担任何经济和法律后果。
This report is only responsible for the test results of the tested samples, The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for commercial advertising, and PONY does not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.
8. 本单位有权在完成报告后按规定方式处理所测样品,除客户特别声明并支付样品管理费,所有超过标准规定时效期的样品均不再做留样。
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
9. 本单位保证工作的客观公正性,对委托单位的商业信息、技术文件等商业秘密履行保密义务。
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效,本单位将对上述行为追究其相应的法律责任。
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.

▲防伪说明(Anti-counterfeiting Instructions):

1. 报告编号是唯一的;
The report number is unique.
2. 扫描报告首页下方二维码,即可查询报告真伪。
Scan the QR code below the first page to check the authenticity of the report.



全国服务热线
400-819-5688

WWW.PONYTEST.COM



集团微信订阅号



集团微信服务号

北京实验室:(010)83055000
北京医学实验室:(010)62450233-8010
北京谱尼科技公司:(010)80415661
青岛实验室:(0532)88706866
青岛医学实验室:(0532)88706866
天津实验室:(022)23607888
天津医学实验室:(022)23607888
长春实验室:(0431)80530198
吉林医学实验室:(0431)80529700
大连实验室:(0411)87336618
大连医学实验室:(0411)87336618

哈尔滨实验室:(0451)58627755
黑龙江医学实验室:(0451)58603455
郑州实验室:(0371)69350670
郑州谱尼医学实验室:(0371)63279066
新疆实验室:(0991)6684186
石家庄实验室:(0311)85376660
西安实验室:(029)89608785
西安创尼实验室:(029)81123093
西安查德威克实验室:(029)62886819
西安医学实验室:(029)89608785
呼和浩特实验室:(0471)3450025

内蒙古医学实验室:(0471)3591511
太原实验室:(0351)7555722
成都实验室:(028)87702708
贵州实验室:(0851)85221000
上海实验室:(021)64851999
上海医学实验室:(021)64851999
苏州实验室:(0512)62997900
苏州汽车安全带及儿童安全座椅
碰撞实验室:(0512)62997900
苏州医学实验室:(0512)62997900
武汉车附所:(027)82318175

武汉实验室:(027)83997127
武汉医学实验室:(027)85446975
杭州实验室:(0571)87219096
杭州医学实验室:(0571)87219096
宁波实验室:(0574)87977185
合肥实验室:(0551)63843474
深圳实验室:(0755)26050909
深圳医学实验室:(0755)26050909
广州实验室:(020)89224310
南宁实验室:(0771)5518818
厦门实验室:(0592)5568048

检测报告

(Test Report)

No. B1D418005B1S4043290A

第 1 页, 共 4 页 (page 1 of 4)

样品名称 (Sample Description)	辐照灭菌实验鼠维持饲料 Irradiated Lab Mice Maintenance Diet	样品规格 (Sample Specification)	2kg/件 20kg/piece
委托单位 (Applicant)	江苏省协同医药生物工程有 限公司 JiangsuXietongPharmaceuticalBi o-engineeringCo.,Ltd.,	商标 (Trade Mark)	—
到样日期 (Received Date)	2023-04-18	生产日期或批号 (Manufacturing Date or Lot No.)	2023.04.08 23040105
检测日期 (Test Date)	2023-04-18~2023-05-08	样品等级 (Sample Grade)	—
样品数量 (Sample Quantity)	3 袋 3bags	检测类别 (Test Type)	委托检测 Commissioning Test
样品状态 (Sample Status)	正常、密封完好 Normal, Seal well	检测环境 (Test Environment)	符合要求 To meet the requirements
检测项目 (Test Items)	见下页 See the next page	检测方法 (Test Methods)	见下页 See the next page
样品来源 (Sample Source)	送样 Send Sample		
所用主要仪器 (Main Instruments)	原子吸收光谱仪、液相色谱仪等 AAS、HPLCetc.		
备注 (Note)	限值标准 Limit Standard: GB/T 14924.2-2001、GB 14924.3-2010(小鼠、大鼠 维 持饲料) 微生物限值由客户提供, 单项判定仅用于客户内部使用 The limit is provided by the entrusting unit, and the individual judgment is only used for the internal use of the entrusting unit. 本产品适用于氮气包装、铝箔包装、双层 PE 包装、双层铝箔包装、双层氮气 包装 This product is applicable to nitrogen packaging, aluminum foil packaging, double- layer PE packaging, double-layer aluminum foil packaging, and double-layer nitrogen packaging 该报告中检测方法由委托单位指定。 The testing methods mentioned in this report were designated by the client.		
编制人 (Edited by)	王兆乾 Wang zhenqian	审核人 (Checked by)	杨津林 Yang Jinlin
批准人 (Approved by)	廖德丰 Liao defeng	签发日期 (Issued Date)	2023 年 05 月 08 日

检测报告

(Test Report)

No. B1D418005B1S4043290A

第 2 页, 共 4 页 (page 2 of 4)

检测结果(Test Results):

序号 (S/N)	检测项目 (Test Items)	单位 (Unit)	限值 (Limit)	检测结果 (Test Results)	单项结论 (Evaluation)	检测方法 (Test Methods)
1	菌落总数 Aerobic plate count	CFU/g	<10	<10	符合 Pass	GB 4789.2-2022
2	砷(以 88%干物质计) Arsenic (As) (On the basis of 88% dry matter)	mg/kg	≤0.7	0.23	符合 Pass	GB 5009.11-2014 第一篇 第二法 the first chapter second method
3	大肠菌群 Coliforms	MPN/100g	<30	<30	符合 Pass	GB/T 4789.3-2003
4	铅(以 88%干物质计) Lead (Pb) (On the basis of 88% dry matter)	mg/kg	≤1.0	未检出 Not detected (<0.04)	符合 Pass	GB 5009.12-2017 第一法 the first method
5	霉菌和酵母数 Moulds and Yeasts	CFU/g	<10	<10	符合 Pass	GB 4789.15-2016 第一法 the first method
6	镉(以 88%干物质计) Cadmium (Cd) (On the basis of 88% dry matter)	mg/kg	≤0.2	0.071	符合 Pass	GB 5009.15-2014
7	沙门氏菌 Salmonella	/25g	不得检出	未检出 Not detected	符合 Pass	GB 4789.4-2016
8	汞(以 88%干物质计) Mercury (Hg) (On the basis of 88% dry matter)	mg/kg	≤0.02	0.015	符合 Pass	GB 5009.17-2021 第一篇 第一法 the first chapter first method
9	六六六(以 88%干物质计) HCH (On the basis of 88% dry matter)	mg/kg	≤0.3	未检出 Not detected (α-六六六<0.000097mg/kg; β-六六六<0.000634mg/kg; γ-六六六<0.000226mg/kg; δ-六六六<0.000179mg/kg)	符合 Pass	GB/T 5009.19-2008 第一法 the first method

检测报告

(Test Report)

No. B1D418005B1S4043290A

第 3 页, 共 4 页 (page 3 of 4)

序号 (S/N)	检测项目 (Test Items)	单位 (Unit)	限值 (Limit)	检测结果 (Test Results)	单项结论 (Evaluation)	检测方法 (Test Methods)
10	滴滴涕(以 88%干物质计) DDT (On the basis of 88% dry matter)	mg/kg	≤0.2	未检出 Not detected (p,p-滴滴涕<0.000345mg/kg; p,p-滴滴涕<0.000465mg/kg; o,p-滴滴涕<0.000412mg/kg; p,p-滴滴涕<0.000481mg/kg)	符合 Pass	GB/T 5009.19-2008 第一法 the first method
11	黄曲霉毒素 B ₁ (以 88%干物质计) Aflatoxin B ₁ (On the basis of 88% dry matter)	μg/kg	≤20.0	未检出 Not detected (<0.1)	符合 Pass	GB 5009.22-2016 第三法 the third method
12	水分 Moisture and volatile	g/kg	≤100	89	符合 Pass	GB/T 6435-2014 8.1
13	粗蛋白(以 90%干物质计)Crude protein (On the basis of 90% dry matter)	g/kg	≥180	184.9	符合 Pass	GB/T 6432-2018
14	粗脂肪(以 90%干物质计)Crude fat (On the basis of 90% dry matter)	g/kg	≥40	52	符合 Pass	GB/T 6433-2006
15	粗纤维(以 90%干物质计)Crude fiber (On the basis of 90% dry matter)	g/kg	≤50	48	符合 Pass	GB/T 6434-2006
16	粗灰分(以 90%干物质计)Crude ash (On the basis of 90% dry matter)	g/kg	≤80	67	符合 Pass	GB/T 6438-2007
17	钙(以 90%干物质计) Calcium (Ca) (On the basis of 90% dry matter)	g/kg	10~18	12.5	符合 Pass	GB/T 6436-2018 4
18	总磷(以 90%干物质计) Phosphorus (P) (On the basis of 90% dry matter)	g/kg	6~12	8.1	符合 Pass	GB/T 6437-2018

检测报告

(Test Report)

No. B1D418005B1S4043290A

第 4 页, 共 4 页 (page 4 of 4)

序号 (S/N)	检测项目 (Test Items)	单位 (Unit)	限值 (Limit)	检测结果 (Test Results)	单项结论 (Evaluation)	检测方法 (Test Methods)
19	钙:总磷 Calcium: Phosphorus	—	1.2:1~1.7:1	1.55:1	符合 Pass	GB 14924.3-2010
20	赖氨酸(以 90%干物质计) LYS(On the basis of 90% dry matter)	g/kg	≥8.2	12.62	符合 Pass	GB/T 18246-2019 3
21	蛋氨酸+胱氨酸(以 90%干物质计) Methionine+Cystine (On the basis of 90% dry matter)	g/kg	≥5.3	10.18	符合 Pass	GB/T 18246-2019 4

——以下空白——
(End of Report)