



集团微信订阅号



集团微信服务号



211520341971

检测报告

(Test Report)

No. NRAU6TYD2075105S4

样品名称
(Sample Description)

辐照灭菌实验鼠饲料 (JXT 标准)
Irradiated Transgenic Lab Rat and Mouse Diet
(JXT Standard)

委托单位
(Applicant)

江苏省协同医药生物工程有限责任公司
Jiangsu Xietong Pharmaceutical Bio-engineering
Co.,Ltd

PONY 谱尼测试
Pony Testing International Group
www.ponytest.com



查询密码:tw06z3

声明 Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标，其受《中华人民共和国商标法》保护，任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为，本单位将依法追究其法律责任。
The words "PONY" and "谱尼" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议，请于报告完成之日起十五日内（初级农产品报告请于报告收到之日起五日内）向本单位书面提出复测申请，同时附上报告原件并预付复测费。
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report (for the report of primary agricultural products, submit a written application for retesting to the unit within 5 days after the receipt of the report), with the original report attached and the retesting fee prepaid.
4. 委托单位办理完毕以上手续后，本单位会尽快安排复测。如果复测结果与异议内容相符，本单位将退还委托单位的复测费。
After the applicant completes the above procedures, PONY shall arrange the retesting as soon as possible. If the retest result is consistent with the objection, PONY will refund the retest fees.
5. 不可重复性或不能进行复测的实验，不进行复测，委托单位放弃异议权利。
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
6. 委托单位对送检样品的代表性和资料的真实性负责，否则本单位不承担任何相关责任。
The applicant is responsible for the representativeness of the commissioned samples and the authenticity of the documents, otherwise PONY does not assume any relevant responsibilities.
7. 本报告仅对所测样品的检测结果负责，检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所载内容不能进行商业广告宣传使用，使用所产生的直接或间接损失及一切法律后果，本单位不承担任何经济和法律后果。
This report is only responsible for the test results of the tested samples, The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for commercial advertising, and PONY does not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.
8. 本单位有权在完成报告后按规定方式处理所测样品，除客户特别声明并支付样品管理费，所有超过标准规定时效期的样品均不再做留样。
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
9. 本单位保证工作的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制（全文复制除外）或以其它任何形式的篡改均属无效，本单位将对上述行为追究其相应的法律责任。
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.

▲ 防伪说明 (Anti-counterfeiting Instructions):

1. 报告编号是唯一的；
The report number is unique.
2. 扫描报告首页下方二维码，即可查询报告真伪。
Scan the QR code below the first page to check the authenticity of the report.



全国服务热线
400-819-5688

WWW.PONYTEST.COM



集团微信订阅号



集团微信服务号

北京实验室: (010) 83055000	哈尔滨实验室: (0451) 58627755	内蒙古医学实验室: (0471) 3591511	武汉实验室: (027) 83997127
北京医学实验室: (010) 62450233-8010	黑龙江医学实验室: (0451) 58603455	太原实验室: (0351) 7555722	武汉医学实验室: (027) 85446975
北京谱尼科技公司: (010) 80415661	郑州实验室: (0371) 69350670	成都实验室: (028) 87702708	杭州实验室: (0571) 87219096
青岛实验室: (0532) 88706866	郑州谱尼医学实验室: (0371) 63279066	贵州实验室: (0851) 85221000	杭州医学实验室: (0571) 87219096
青岛医学实验室: (0532) 88706866	新疆实验室: (0991) 6684186	上海实验室: (021) 64851999	宁波实验室: (0574) 87977185
天津实验室: (022) 23607888	石家庄实验室: (0311) 85376660	上海医学实验室: (021) 64851999	合肥实验室: (0551) 63843474
天津医学实验室: (022) 23607888	西安实验室: (029) 89608785	苏州实验室: (0512) 62997900	深圳实验室: (0755) 26050909
长春实验室: (0431) 80530198	西安创尼实验室: (029) 81123093	苏州汽车安全带及儿童安全座椅	深圳医学实验室: (0755) 26050909
吉林医学实验室: (0431) 80529700	西安查德威克实验室: (029) 62886819	碰撞实验室: (0512) 62997900	广州实验室: (020) 89224310
大连实验室: (0411) 87336618	西安医学实验室: (029) 89608785	苏州医学实验室: (0512) 62997900	南宁实验室: (0771) 5518818
大连医学实验室: (0411) 87336618	呼和浩特实验室: (0471) 3450025	武汉车附所: (027) 82318175	厦门实验室: (0592) 5568048

检测报告

(Test Report)

No. NRAU6TYD2075105S4

第 1 页, 共 3 页 (page 1 of 3)

样品名称 (Sample Description)	辐照灭菌实验鼠饲料 (JXT 标准) Irradiated Transgenic Lab Rat and Mouse Diet (JXT Standard)	样品规格 (Sample Specification)	20kg/件 20kg/piece
委托单位 (Applicant)	江苏省协同医药生物工程有限责任公司 Jiangsu Xietong Pharmaceutical Bio-engineering Co.,Ltd	商标 (Trade Mark)	—
到样日期 (Received Date)	2023-07-07	生产日期或批号 (Manufacturing Date or Lot No.)	2023.07.03 23070101
检测日期 (Test Date)	2023-07-07~2023-08-15	样品等级 (Sample Grade)	—
样品状态 (Sample Status)	固态 Solid	检测类别 (Test Type)	委托检测 Commissioning Test
检测项目 (Test Items)	见下页 See the next page	检测环境 (Test Environment)	符合要求 To meet the requirements
检测方法 (Test Methods)	见下页 See the next page		
所用主要仪器 (Main Instruments)	原子吸收光谱仪、原子荧光光谱仪等 AAS、AFS etc.		
备注 (Note)	1、本产品适用于氮气包装、铝箔包装、双层 PE 包装、双层铝箔包装、双层氮气包装。 This product is suitable for nitrogen packaging, aluminum foil packaging, double-layer PE packaging, double-layer aluminum foil packaging, and double-layer nitrogen packaging. 2、以上样品信息由委托单位提供。 The information of sample was provided by the applicant. 3、限值标准 Limit Standard: Q/320115 XT 14-2023、GB/T 18823-2010		
编制人 (Edited by)	孙亚茹	审核人 (Checked by)	桑元杰
批准人 (Approved by)	王浩坤	签发日期 (Issued Date)	2023-08-15

检测报告

(Test Report)

No. NRAU6TYD2075105S4

第 2 页, 共 3 页 (page 2 of 3)

检测结果(Test Results):

序号 (S/N)	检测项目 (Test Items)	单位 (Unit)	限值 (Limit)	判定限值 (Determine limit)	检测结果 (Test Result)	单项结论 (Evaluation)	检测方法 (Test Methods)
1	精氨酸 Arginine	g/kg	≥9.0	≥7.8	9.2	符合 Pass	GB/T18246-2019
2	组氨酸 Histidine	g/kg	≥4.0	≥3.2	4.0	符合 Pass	GB/T18246-2019
3	苯丙氨酸+酪氨酸 Phenylalanine and Tyrosine	g/kg	≥13.0	≥11.0	13.0	符合 Pass	GB/T18246-2019
4	苏氨酸 Threonine	g/kg	≥8.0	≥6.8	7.2	符合 Pass	GB/T18246-2019
5	亮氨酸 Leucine	g/kg	≥15.0	≥13	14.6	符合 Pass	GB/T18246-2019
6	异亮氨酸 Isoleucine	g/kg	≥8.0	≥6.8	8.6	符合 Pass	GB/T18246-2019
7	缬氨酸 Valine	g/kg	≥9.0	≥7.8	9.6	符合 Pass	GB/T18246-2019
8	天门冬氨酸 Aspartate	g/kg	—	—	12.0	—	GB/T18246-2019
9	丝氨酸 Serine	g/kg	—	—	7.4	—	GB/T18246-2019
10	谷氨酸 Glutamate	g/kg	—	—	33.2	—	GB/T18246-2019
11	脯氨酸 Proline	g/kg	—	—	12.7	—	GB/T18246-2019
12	甘氨酸 Glycine	g/kg	—	—	10.2	—	GB/T18246-2019
13	丙氨酸 Alanine	g/kg	—	—	8.7	—	GB/T18246-2019
14	色氨酸 Tryptophan	g/kg	≥2.0	≥1.2	2.9	符合 Pass	GB/T 15400-2018
15	维生素 A Vitamin A	IU/kg	≥14000	≥9800	2.28×10^4	符合 Pass	GB/T 17817-2010
16	维生素 E Vitamin E	IU/kg	≥120	≥72	200	符合 Pass	GB/T 17812-2008
17	#1Y 维生素 K ₃ Vitamin K ₃	mg/kg	≥20	≥12	21.3	符合 Pass	GB/T 14924.11-2001
18	维生素 B ₁ (以硝酸 硫胺计) Vitamin B ₁ (thiamine nitrate)	mg/kg	≥80	≥64	90.5	符合 Pass	GB/T 14700-2018

检测报告

(Test Report)

No. NRAU6TYD2075105S4

第 3 页, 共 3 页 (page 3 of 3)

序号 (S/N)	检测项目 (Test Items)	单位 (Unit)	限值 (Limit)	判定限值 (Determine limit)	检测结果 (Test Result)	单项结论 (Evaluation)	检测方法 (Test Methods)
19	核黄素(维生素 B ₂) Riboflavin (Vitamin B ₂)	mg/kg	≥12	≥8.4	19.8	符合 Pass	GB/T 14701-2002
20	吡多辛(维生素 B ₆) Pyridoxine (Vitamin B ₆)	mg/kg	≥12	≥8.4	34.9	符合 Pass	GB 5009.154-2016
21	烟酸 Niacin	mg/kg	≥60	≥42	75.39	符合 Pass	GB 5009.89-2016
22	#IN 泛酸 Pantothenic acid	mg/kg	≥24	≥14.4	39.8	符合 Pass	GB/T 14924.11-2001
23	#IN 叶酸 Folate	mg/kg	≥4.0	≥2.4	6.89	符合 Pass	GB/T 14924.11-2001
24	#IN 生物素 Biotin	mg/kg	≥0.20	≥0.10	0.426	符合 Pass	GB/T 14924.11-2001
25	#IN 维生素 B ₁₂ Vitamin B ₁₂	mg/kg	≥0.022	≥0.011	0.047	符合 Pass	GB/T 14924.11-2001
26	胆碱 Choline	mg/kg	≥1500	≥1050	1670	符合 Pass	GB 5413.20-2022
27	镁 Magnesium	g/kg	≥2	≥2	2.7	符合 Pass	GB/T 13885-2017
28	钾 Potassium	g/kg	≥5	≥5	5.8	符合 Pass	GB/T 13885-2017
29	钠 Sodium	g/kg	≥2	≥2	3.1	符合 Pass	GB/T 13885-2017
30	铁 Iron	mg/kg	≥280	≥196	400	符合 Pass	GB/T 13885-2017
31	锰 Manganese	mg/kg	≥75	≥48.75	140	符合 Pass	GB/T 13885-2017
32	铜 Copper	mg/kg	≥10	≥6.5	14	符合 Pass	GB/T 13885-2017
33	锌 Zinc	mg/kg	≥100	≥65	110	符合 Pass	GB/T 13885-2017
34	碘 Iodine	mg/kg	≥1.1	≥0.605	1.29	符合 Pass	GB/T 13882-2010
35	硒 Selenium	mg/kg	≥0.1	≥0.05	0.34	符合 Pass	GB/T 13883-2008

注: 检测项目左上角的标注说明如下:

“1Y” 表示该项目由谱尼测试集团股份有限公司完成, 资质认定证书编号: 220000343608。

“IN” 表示该项目由谱尼测试集团股份有限公司完成, 资质认定证书编号: 220000343608, 其不在本公司的资质认定检测能力范围。

——以下空白——

(End of Report)